

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	17	(first adj query) with (similar near2 quer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 16:55
S2	796	(first adj query) with (second adj quer\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 16:58
S3	146	(first adj query) with (second adj quer\$3) with result \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 16:59
S4	3	(new adj query) near5 compatible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 17:22
S5	775	quer\$3 near5 compatible	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 17:23
S6	7	(quer\$3 near5 compatible) with evaluat\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 17:24
S7	3559	cach\$3 near5 quer \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 17:28

S8	856	(cach\$3 near5 quer\$3) with result\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 17:28
S9	1152	(cach\$3 with quer\$3) with result\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 17:29
S10	303	(cach\$3 with quer\$3) with result\$1 with database\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 17:30
S11	174	(without near5 cach\$3) with quer\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 19:18
S12	68	((without near5 cach\$3) with (quer\$3 or search\$3)) and 707/2,3,4,5,6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/03 19:19
S14	28159	(quer\$4 or search\$3) near7 (group\$3 or classif\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 13:55
S15	9145	((quer\$4 or search\$3) near7 (group\$3 or classif\$5)) and ((time adj out) or threshold\$1 or expir\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 13:56
S16	1406	((quer\$4 or search\$3) near7 (group\$3 or classif\$5)) and ((time adj out) or threshold\$1 or expir\$3) and 707/2,3,4,5,6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 13:56

S17	413	((quer\$4 or search \$3) near7 (group\$3 or classif\$5)) and ((time adj out) or threshold\$1 or expir \$3) and pend\$3 and 707/2,3,4,5,6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 13:57
S18	7203	(first near (query or search or request)) with (second near (query or search or request))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 14:45
S19	332	S18 and ((time adj out) or threshold\$1 or expir\$3) and 707/2,3,4,5,6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 14:46
S21	292	(first near (query or search or request)) with (second near (query or search or request)) with (group\$3 or classif \$5 or cluster\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/04 16:49
S23	419	(first near (query or search or request)) with (second near (query or search or request)) with (compar\$5 or evaluat\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/05 14:03
S24	75	((first near (query or search or request)) with (second near (query or search or request)) with (compar\$5 or evaluat\$5)) and 707/2,3,4,5,6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/05 14:04
S25	63	query near4 compatibility	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/05 14:19

S26	21	(query near4 compatibility) and 707/2,3,4,5,6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/05 14:20
S27	28	((search\$3 or request\$1) near4 compatibility) and 707/2,3,4,5,6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/05 14:23
S43	78	((new adj (query or search or request)) near7 (compar\$5 or evaluat\$5)) and 707/2,3,4,5,6.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/05 17:37
S44	53958	determin\$3 near5 database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/05 17:51
S45	10	(determin\$3 near5 database) with (load near balanc \$3)	USPAT	OR	OFF	2008/05/05 17:51
S46	246	(determin\$3 near5 (status near3 database))	USPAT	OR	OFF	2008/05/05 17:55
S47	17	(determin\$3 near5 (status near3 database)) and 707/2,3,4,5,6.ccls.	USPAT	OR	OFF	2008/05/05 17:55
S48	37	(determin\$3 near5 (availab\$5 near3 database)) and 707/2,3,4,5,6.ccls.	USPAT	OR	OFF	2008/05/05 18:09
S49	0	(determin\$3 near5 (availab\$5 near3 database)) with (quer\$3 near2 process\$3)	USPAT	OR	OFF	2008/05/05 18:25
S50	2	(determin\$3 near5 (availab\$5 near3 database)) with quer \$3 with process\$3	USPAT	OR	OFF	2008/05/05 18:26

S51	11	((determin\$3 near5 (availab\$5 near3 database)) with quer \$3) and SQL	USPAT	OR	OFF	2008/05/05 18:26
-----	----	--	-------	----	-----	---------------------

5/ 5/ 2008 11:02:10 PM

C:\ Documents and Settings\ hpham5\ My Documents\ EAST\ Workspaces\ text search
10697968.wsp